

Hodgkin's Lymphoma

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using all primary sites with morphology codes 9650-9667. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 201.0-201.9

1994 Washington State Residents

Incidence and Mortality Summary by Sex

with rates per 100,000 and age-adjusted to 1970 US census population

Incidence			
	Male	Female	Total
All Reportable Cancers	79	62	141
Total Incidence Rates	2.9	2.3	2.6
Invasive Cancers*	79	62	141
Invasive Incidence Rates*	2.9	2.3	2.6
1994 National Rates*	2.9	2.5	2.7

*Excludes in situ cases


Mortality			
	Male	Female	Total
Deaths	12	13	25
Mortality Rates	0.4	0.4	0.4
1994 National Rates	0.6	0.3	0.6

1994 Washington State Residents

Stage at Diagnosis


Total Incidence and Percents

	All Stages	Localized
5-Year Survival Rates (US)	80.9%	n/a




Hodgkin's Lymphoma

1994 Washington State Residents
Age-Specific Incidence Rates
 By Sex



Washington State Residents
Incidence and Mortality Rate Trends
 Age-adjusted to 1970 US census population




Hodgkin's Lymphoma

1994 Washington State Residents

Incidence Rates by PUMS Regions with rates in []'s and 95% CIs in |—|

Age-adjusted to 1970 US census population




Note: Rates and confidence intervals are not computed when the number of new cases is less than 5.

1994 Washington State Residents

Death Rates by PUMS Regions with rates in []'s and 95% CIs in |—|

Age-adjusted to 1970 US census population



Note: Rates and confidence intervals are not computed when the number of new cases is less than 5.


* Region 3: Chelan, Douglas, Kittitas & Okanogan
Region 13: Adams, Ferry, Grant, Lincoln, Pend Oreille & Stevens

Region 12: Cowlitz, Klickitat, Skamania & Wahkiakum
Region 17: Asotin, Columbia, Garfield, Walla Walla & Whitman

Hodgkin's Lymphoma

1992-1994 Washington State Residents

Average Annual Incidence Rates by County with rates in []'s and 95% CI's |—| census population




NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases is less than 5.

Hodgkin's Lymphoma

1992-1994 Washington State Residents

Average Annual Mortality Rates by County with rates in []'s and 95% CI's |—| census population



NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of deaths is less than 5.

Hodgkin's Lymphoma

1992-1994 Washington State Residents

Average Annual Incidence and Deaths by County

with Age-Adjusted Rates and 95% Confidence Intervals

County	Incidence						Deaths					
	1992-1994 Annual Average						1992-1994 Annual Average					
	Average New Cases per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		Average Deaths per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population			
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		
Adams	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Asotin	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Benton	4	2.9	(1 - 6)	2.9	(1 - 6)	1	n/c	n/c	n/c	n/c		
Chelan	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Clallam	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Clark	8	2.9	(2 - 5)	2.7	(2 - 4)	1	n/c	n/c	n/c	n/c		
Columbia	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Cowlitz	2	2.7	(1 - 6)	2.4	(1 - 6)	0	n/c	n/c	n/c	n/c		
Douglas	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Ferry	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Franklin	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Garfield	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Grant	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Grays Harbor	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Island	2	3.2	(1 - 7)	3.2	(1 - 8)	0	n/c	n/c	n/c	n/c		
Jefferson	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
King	57	3.7	(3 - 4)	3.5	(3 - 4)	8	0.4	(0 - 1)	0.4	(0 - 1)		
Kitsap	6	3.4	(2 - 5)	3.3	(2 - 5)	1	n/c	n/c	n/c	n/c		
Kittitas	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Klickitat	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Lewis	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Lincoln	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Mason	3	5.0	(2 - 11)	4.6	(2 - 10)	0	n/c	n/c	n/c	n/c		
Okanogan	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Pacific	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Pend Oreille	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Pierce	17	2.7	(2 - 4)	2.6	(2 - 4)	2	0.3	(0 - 1)	0.3	(0 - 1)		
San Juan	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Skagit	2	1.9	(1 - 5)	2.0	(1 - 5)	1	n/c	n/c	n/c	n/c		
Skamania	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Snohomish	12	2.3	(2 - 3)	2.3	(2 - 3)	3	0.5	(0 - 1)	0.5	(0 - 1)		
Spokane	13	3.4	(2 - 5)	3.1	(2 - 4)	3	0.7	(0 - 2)	0.8	(0 - 2)		
Stevens	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Thurston	7	3.8	(2 - 6)	3.8	(2 - 6)	2	0.7	(0 - 2)	1.0	(0 - 2)		
Wahkiakum	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Walla Walla	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Whatcom	3	2.5	(1 - 5)	2.3	(1 - 5)	1	n/c	n/c	n/c	n/c		
Whitman	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
Yakima	3	1.8	(1 - 3)	1.7	(1 - 3)	0	n/c	n/c	n/c	n/c		
Unidentified	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c		
State Total	152	3.0	(3 - 3)	2.8	(3 - 3)	25	0.4	(0 - 1)	0.4	(0 - 1)		

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Hodgkin's Lymphoma

1994 Washington State Residents

Incidence and Incidence Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	3	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(2) Island, San Juan, Skagit	5	3.2	(1 - 8)	3.3	(1 - 9)	1	n/c	n/c	n/c	n/c	4	n/c	n/c	n/c	n/c
(3) Chelan, Douglas, Kittitas, Okanogan	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(4) Kitsap	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(5) Clallam, Jefferson, Mason	7	2.6	(1 - 8)	2.9	(1 - 8)	5	4.1	(1 - 14)	4.9	(2 - 15)	2	n/c	n/c	n/c	n/c
(6) Snohomish	15	2.9	(2 - 5)	2.8	(2 - 5)	8	2.9	(1 - 6)	2.8	(1 - 6)	7	3.0	(1 - 7)	2.9	(1 - 7)
(7) King	50	3.4	(3 - 5)	3.3	(2 - 4)	28	3.8	(3 - 6)	3.6	(2 - 5)	22	3.0	(2 - 5)	3.0	(2 - 5)
(8) Pierce	13	2.1	(1 - 4)	2.0	(1 - 4)	9	2.8	(1 - 5)	2.5	(1 - 5)	4	n/c	n/c	n/c	n/c
(9) Thurston	12	5.8	(3 - 11)	5.9	(3 - 11)	5	4.9	(2 - 13)	5.3	(2 - 13)	7	6.7	(2 - 15)	6.6	(3 - 15)
(10) Grays Harbor, Lewis, Pacific	3	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(11) Clark	4	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	3	n/c	n/c	n/c	n/c
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	2	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(14) Spokane	15	3.8	(2 - 7)	3.4	(2 - 6)	9	4.5	(2 - 9)	4.5	(2 - 9)	6	3.3	(1 - 7)	2.5	(1 - 6)
(15) Benton, Franklin	4	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c
(16) Yakima	4	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Unidentified	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
STATE TOTAL	141	2.7	(2 - 3)	2.6	(2 - 3)	79	3.0	(2 - 4)	2.9	(2 - 4)	62	2.4	(2 - 3)	2.3	(2 - 3)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Hodgkin's Lymphoma

1994 Washington State Residents

Mortality and Mortality Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(2) Island, San Juan, Skagit	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(3) Chelan, Douglas, Kittitas, Okanogan	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(4) Kitsap	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(5) Clallam, Jefferson, Mason	2	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c
(6) Snohomish	2	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(7) King	5	0.2	(0 - 1)	0.3	(0 - 1)	4	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(8) Pierce	3	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	2	n/c	n/c	n/c	n/c
(9) Thurston	3	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	3	n/c	n/c	n/c	n/c
(10) Grays Harbor, Lewis, Pacific	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(11) Clark	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(14) Spokane	4	n/c	n/c	n/c	n/c	3	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(15) Benton, Franklin	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
(16) Yakima	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	2	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c	1	n/c	n/c	n/c	n/c
Unidentified	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
STATE TOTAL	25	0.4	(0 - 1)	0.4	(0 - 1)	12	0.4	(0 - 1)	0.4	(0 - 1)	13	0.3	(0 - 1)	0.4	(0 - 1)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.